

# *salona 44*



## Price list

**SALONA YACHTS**  
Matoševa 8 • 21210 Solin  
Croatia  
Tel.: +385 (0) 21 206 855  
Fax.: +385 (0) 21 213 020  
info@adboats.hr  
www.salonayachts.com



Description		Price
<b>Salona 44</b>		<b>217.580,00 €</b>
<b>INTERIOR</b>		
44S100	Interior wood in teak	standard
NC	other options of wood possible on request	extra cost
44O106	Furniture in light material	9.730,00 €
<b>LAYOUT VERSIONS</b>		
44S100	Interior layout A: Lshaped kitchen, 3 cabins, 2 heads	standard
44O101	Interior layout B: 4 cabins, 2 head	2.900,00 €
<b>UPHOLSTERY</b>		
44S150	Version Sand (white, beige, grey, blue colour)	standard
44O151	Version Verona	310,00 €
44O152	Version Peru	450,00 €
44O153	Version Artificial Leather	310,00 €
<b>PACKAGES</b>		
44A001	Launching & Commissioning, includes: <i>(Rigging, Crane, Transportation from shipyard to Marina)</i>	4.700,00 €
<b>44P002</b>	<b>READY TO SAIL including ELECTRONIC PACKAGE</b>	<b>14.301,00 €</b>
	<i>full price</i>	<i>20.430,00 €</i>
44A706	Mainsail, dacron	
44A707	Genoa, dacron, 140%, UV protection	
44A710	Lazy bag and lazy jack	
AE203	3 polyester Mooring Ropes 12 m x 20 mm (Geolon rope)	
AE204.8	8 white air filled Fenders with Lanyards	
44A303	Antifouling (2 layers of primer, 2 layers of antifouling)	
AE502	Shower (hot&cold water) in cockpit (stern)	
AE600	NX2 Salona Pack (NX2 server, nwind transducer, HPC compass, analog wind instrument, 2xMulti control instrument, log/temp transducer and depth transducer TH43)	
AE609	NX2 Autopilot System (NX2 Autopilot instrument, Integrated Linear Drive HP-40, Rudder Angle Transmitter Rotary, Servo Unit A-1510)	
AE413	VHF Antenna	
AE622	VHF station Nexus NX2000	
AE414	GPS Plotter Garmin 720	
<b>44P003</b>	<b>COMFORT PACKAGE</b>	<b>10.276,00 €</b>
	<i>full price</i>	<i>14.680,00 €</i>
44A519	Heating system Webasto Thermo Top 5200 W	
44A505	Teak massive in cockpit	
44A508	Sprayhood (with stainless steel tubes)	
44A701	Harken mast sliding system with Torlon balls	
AE209	Spring mooring Cleats (stainless steel), 2 pcs	
<b>44P004</b>	<b>PERFORMANCE PACKAGE</b>	<b>11.011,00 €</b>
	<i>full price</i>	<i>15.730,00 €</i>
44O206.1	Dynema Running rigging (all halyards)	
44O206	Dyneema sheets and ropes with tylaska shackles&fid	
44O200	Keel, lead, bulb 2,55 m draft Racing	
44O205	Performance deck hardware (with upgraded winches, blocks & carbon spi pole)	
44O305	"Shakewell" seacocks	
<b>During Boat Shows ask local dealer for special Boat Show offers. (Advance payment must be within three weeks after Boat Show)</b>		
<b>INTERIOR (extra options)</b>		
44A518	Heating system Webasto Thermo 90 ST 9000 W	6.600,00 €
44A519	Heating system Webasto Thermo Top 5200 W	5.700,00 €
44O507	Upgrade engine Yanmar 4JH4CE/SD50 75hp (sail drive)	1.390,00 €
44A517	Air condition Webasto Blue Cool 2x12000 BTU(needs 6 kW generator)	12.500,00 €
44A515	Generator 230V, 3kW Yanmar (inside main engine room)	5.790,00 €
44A516	Generator 230V, 6kW Yanmar (inside main engine room)	8.350,00 €
44O501	LED lights for interior	820,00 €
44O506	Folding table in salon	890,00 €

	Description	Price
<b>HULL</b>		
44O302	Blue Hull - gel coat (Salona Registered colour)	3.300,00 €
44O303	Red Hull - gel coat (RAL 3020)	3.300,00 €
44O304	Gray Hull - gel coat (RAL 7001)	3.300,00 €
44A301	Coloured Hull - AWLGrip paint (AWLGrip's colour list)	6.500,00 €
44A302	Antifouling offshore teflon racing	4.100,00 €
44A303	Antifouling (2 layers of primer, 2 layers of antifouling)	2.650,00 €
44O200	Keel, lead (2,55 m draft) Racing	6.600,00 €
44A504	3 blade Folding Propeller (flex-o-fold)	760,00 €
<b>DECK EQUIPMENT</b>		
44O504	Closed Transom Bench with door	2.450,00 €
44O505	Turnable carbon transom bench - Passarella	1.890,00 €
44A207	Storage for sails on deck (only on 3 cabin layout)	2.890,00 €
44A505	Teak massive in cockpit	4.300,00 €
44A506	Teak massive on deck	9.600,00 €
44A508	Sprayhood (with stainless steel tubes, color navy blue, beige, black, dark red)	1.950,00 €
44A512	Helmsman bimini (with stainless steel tubes, color navy blue, beige, black, dark red)	1.850,00 €
44A514	Big bimini with coach roof mainsheet option (with stainless steel tubes, color navy blue, beige, black, dark red)	3.490,00 €
44A509	Cockpit cushions	600,00 €
44A510	Sun Cover	770,00 €
44A513	Cover for steering wheel & GRP navigation instruments panel	220,00 €
44O206	Dyneema sheets and ropes with tylaska shackles&fid	2.200,00 €
44A200	Anchor Windlass upgrade 1500W-12V	950,00 €
<b>MAST &amp; RIGGING</b>		
44A701	Harken mast sliding system with Torlon balls	2.800,00 €
44A702	Rutgerson sliders for mainsail	980,00 €
44A202	Spinnaker equipment (Al spi pole with track,sheets, up&down, blocks)	2.850,00 €
44A203	Gennaker equipment (Al bowsprit,sheets, up&down, blocks)	1.600,00 €
44A204	Spinnaker Pole Stowage (vertical) on Mast	780,00 €
44A205	Spinnaker Pole Stowage on deck	720,00 €
44A206	Spinnaker pole carbon upgrade	1.400,00 €
44O205	Performance deck hardware (with upgraded winches, blocks & carbon spi pole)	5.950,00 €
44O703	Carbon performance mast with rod&tip cups, dyneema halyards, white color	65.000,00 €
44o701	Harken Carbo Foil	1.150,00 €
<b>misc</b>		
44A704	Gennaker	3.100,00 €
44A705	Spinnaker	3.400,00 €
44A706	Mainsail, dacron	4.200,00 €
44A707	Genoa, dacron, 140%, UV protection	4.150,00 €
44A708	Upgrade Pentex sandwich Sails	3.090,00 €
44A709	Upgrade Spectra Sails	5.450,00 €
44A710	Lazy bag and lazy jack	550,00 €
44O305	"Shakewell" seacocks	1.300,00 €

**EX-WORKS PRICE IN EURO EXCLUDING VAT.**

The prices are subject to change without prior notice. This price list automatically cancels all previously distributed. Please check detailed specification and price with local dealer.

	Description	Price
<b>HULL</b>		
AE500	Retractable bow thruster	6.900,00 €
<b>DECK</b>		
AE201	Harken electric winch upgrade with additional 170Ah battery (per pcs)	3.250,00 €
AE503	Cockpit Light at boom end	340,00 €
AE202	3 polyester Mooring Ropes 12 m x 16 mm (Geolon rope)	90,00 €
AE203	3 polyester Mooring Ropes 12 m x 20 mm (Geolon rope)	110,00 €
AE204	white air filled Fender with Lanyards (per pcs)	25,00 €
AE205	Folding Cleats (per pcs)	320,00 €
AE501	Teak cockpit Table, removable	1.490,00 €
AE502	Shower (hot&cold water) in cockpit (stern)	295,00 €
AE208	Spring mooring Cleats (stainless steel), 2 pcs (suitable for S35 i S38)	230,00 €
AE209	Spring mooring Cleats (stainless steel), 2 pcs (suitable for S41 i S44)	322,00 €
AE206	Steering Wheel 55" (140 cm) Carbon (Suitable for S35, S38)	1.400,00 €
AE207	Double Steering Wheel Carbon 2x32" (Suitable for Salona 38, 41, 44)	3.490,00 €
AE200	Carbon Rigid Bowsprit with anchor fitting (gennaker equipment included)	3.590,00 €
AE211	Keel Outlining	900,00 €
<b>INTERIOR</b>		
AE504	Sea water Foot Pump (in Pantry)	520,00 €
OE501	Electric toilet	1.100,00 €
AE505	TV with DVD player 19"	990,00 €
AE506	Additional fresh water tank 90l (not for S35)	460,00 €
AE507	Additional service battery 170Ah	590,00 €
AE508	Inverter 400W	690,00 €
<b>MAST</b>		
AE700	Mast Jack	3.250,00 €
<b>ELECTRONICS</b>		
<b>ELECTRONIC NEXUS</b>		
AE601	NX Value pack (two sea data instruments, one NX wind instrument with WSI Box and wired windtransducer, log/temp transducer and depth transducer TH52)	1.390,00 €
AE600	NX2 Salona Pack (NX2 server, nwind transducer, HPC compass, analog wind instrument, 2x Multi control instrument, log/temp transducer and depth transducer TH43)	2.340,00 €
AE602	Nexus NX2 Multi Control instrument	570,00 €
AE603	NX2 Remote Control instrument (with Autopilot control), bracket	490,00 €
AE604	NX2 Multi XL instrument	690,00 €
AE605	NX2 Digital Compass instrument	570,00 €
AE606	NX2 GPS Navigator instrument	570,00 €
AE607	NX2 Analog Steer Pilot instrument	450,00 €
AE608	NX2 Analog Rudder Angle instrument	450,00 €
AE609	NX2 Autopilot System (NX2 Autopilot instrument, Integrated Linear Drive HP-40, Rudder Angle Transmitter Rotary, Servo Unit A-1510)	3.010,00 €
<b>ELECTRONIC NEXUS NXR</b>		
AE610	NXR Multi Control instrument, inverted LCD or Standard LCD	755,00 €
AE611	NXR XL 20 Instrument	1.050,00 €
AE612	NXR XL30 Instrument	1.350,00 €
AE613	NXR Analog AWA Wind	490,00 €
AE614	NXR Analog TWA Wind	490,00 €
AE615	NXR Analog Steer Pilot	490,00 €
AE616	NXR Analog Speed Trim	490,00 €
AE617	NXR Network Cable 90° 15m	49,00 €
AE618	NXR Network Cable 180° 15m	55,00 €
AE619	NXR Solid state log transducer with connection box	1.050,00 €
AE620	PC connection kit with USB connection	90,00 €
AE621	VHF NX2500 + Navtex antenna NX2600	390,00 €
AE622	VHF NX2000 Grey/Black Fixed mount with DSC	290,00 €
AE623	Single Carbon Fibre mast bracket for one NX2, Nexus or Multi XL or XL20 (black)	290,00 €
AE624	Double Carbon fibre mast bracket for two NX2, Nexus or Multi XL or XL20 (black)	450,00 €
AE625	Tripple Carbon fibre mast bracket for three NX2, Nexus or Multi XL or XL20 (black)	550,00 €
AE626	Quadruple Carbon Fibre mast bracket for four NX2, Nexus or Multi XL or XL20 (black)	680,00 €
<b>ELECTRONIC RAYMARINE</b>		
AE400	Raymarine package (2xmultifunction display i70, transducers (wind, speed/depth), GPS plotter e7, SPX10 autopilot system with control display, Ray 49E VHF station)	7.897,00 €
AE401	Multifunction display i70	850,00 €
AE402	transducers (wind, speed /depth) suitable for i70	1.410,00 €
AE403	Wind instrument system Raymarine ST60 (A22012)	1.015,00 €
AE404	Tridata (Speed/Depth/Log) instrument system Raymarine ST 60	970,00 €
AE405	Raymarine GPS Plotter E90	3.700,00 €
AE409	Autopilot Raymarine SPX10 (P70 display included)	3.900,00 €
AE408	Ray 49E VHF station	390,00 €
AE407	Raymarine GPS Plotter e7	1.890,00 €
AE406	Raymarine GPS Plotter C90	2.890,00 €
AE410	Autopilot Raymarine with SmartPilot X-30 (P70 included) (suitable for Salona 44)	4.900,00 €
AE411	Raymarine Radar Radome Antenna 4kW 18"	2.100,00 €
AE412	Ray240E VHF station with foghorn	910,00 €
AE003	<b>ELECTRONIC RACING TACKTICK</b> - possible on request	
<b>misc</b>		
AE210	Pedestal for instruments on consoles	1.980,00 €
AE413	VHF Antenna Glomex	145,00 €
AE509	Audio package 1: CD/Radio Marine + 2 Speakers in Saloon 2	760,00 €
AE510	2 Waterproof Speakers in cockpit	260,00 €
AE511	Inflatible boat Salona230 with soft bottom	850,00 €
AE512	Inflatible boat Salona260 with hard bottom	1.100,00 €
AE414	GPS Plotter Garmin 720	1.590,00 €

**CONSTRUCTION****Hull& Deck**

Vacuum infused epoxy based vinyl ester GRP  
 White (isophthalic) gelcoat with black decorative bands  
 Optimal strength/weight ratio - achieved by using triaxial glass fibers  
 20mm Sandwich construction above water line  
 Reinforcements in stainless steel bonded to the hull with structural glue transferring loads from mast and keel.  
 Stress areas (where winches and major deck fittings are fixed) reinforced by replacing PVC core with plywood or aluminum

**Deck to Hull joining**

Hull and deck are bonded with Methyl-Methacrylate structural glue  
 The (teak) toe rail is bolted through deck and hull flange

**DECK EQUIPMENT**

Stainless steel bow fitting (with anchor/chain roller)  
 Stainless steel chain plates  
 Self-draining anchor/chain locker  
 10 stainless steel stanchion bases

**Cockpit**

8 mm teak ribs/massive on cockpit seats and side trims  
 Two storage lockers in mid cockpit, dedicated life raft for fast deploying  
 Dry stowage locker on ps & stbd side  
 Outboard drained two gas bottles (ps) compartment  
 Rudder stock head (for installing the emergency tiller)  
 Single lever engine control  
 Recessed engine controls panel

**Mast**

Sparcraft Performance silver anodized aluminum keel stepped mast fractional  
 Triple swept back (approx. 20°) spreaders in aluminum  
 The mast step bolted to the bottom inox reinforcement

**Boom**

Sparcraft's silver anodized aluminum boom  
 Two (internal) reef lines for single line reefing system; one clew outhaul device  
 The gas pressured boom vang with an outer purchase block system

**Standing rigging**

Discontinuous stainless steel rigging in duplex steel rod includes:  
 Thru deck Harken MKIV Genoa Furler  
 Navtec hydraulic backstay adjuster/tensioner

**Running rigging**

All halyards, reef lines, tensioners and control lines are led to the cockpit (winches)  
 The standard mast includes:  
 - 1 x main halyard  
 - 1 x genoa halyard  
 - 1 x boom topping lift

**Sheets & ropes:**

- 1 x main sheet
- 2 x main sheet traveller car control
- 2 x genoa sheet
- 2 x genoa sheet car control
- 1 x genoa furling line
- 1 x vang
- 2 x reefing line
- 1 x outhaul

**Track system**

Harken main sheet track (2,1 m) on cockpit sole, 6:1 traveler system  
 Harken genoa sheet tracks (2 x 3m), 5:1 genoa car system

**Blocks (by Harken)****Mainsheet system**

- 3 x Single 75 mm BM
- 2 x Single 57 mm BM
- 1 x Double 75 mm BM

**Halyards**

- 10 x Single 75 mm ESP

**Vang**

- 1 x Single 57 mm BM
- 1 x Single 75 mm BM

**Deck organizers (by Harken)**

- 2 x ESP/4-sheave
- 2 x ESP/2-sheave

**Stoppers (Clutches)**

- 12 x Spinlock clutches - for halyards, reef lines, vang and furling headstay line - placed on cabin roof
- Spinlock clutch - placed by (stbd side) toe rail - for genoa furling line

**Winches**

- 4 Harken halyard 2-speed radial winches, size 46.2, placed on cabin roof
- 2 Harken primaries/genoa sheet 2-speed winches, size 53.2
- 3 winch handles with PVC handle holders

**SHIP EQUIPMENT****Steering system**

Double Steering wheel black anodized aluminum with leather 800mm  
 Emergency tiller in stainless steel

**Keel**

Standard keel II (2,11 m draft) consists of a cast iron fin  
 The cast iron fin is protected with a layer of Epoxy primary protection

**Navigation/Communication Equipment****Magnetic compass**

Magnetic compass  
 Navigation lights (bow port, bow stbd, stern), running light, anchor light, deck light

**Anchoring & Mooring Equipment**

- Anchor (galvanized), 20 kg
- Anchor Chain (galvanized), 50 m x 8 mm
- Anchor Windlass, 1000W-12V
- 4 x Mooring stainless steel Cleat with Fairlead

**EQUIPMENT FOR CREW/PASSENGERS**

Eight low profile openable Portlights on the sides with two openable Portlights in the cockpit  
 Six low profile deck Hatches  
 Fixed deck Hatch (12 mm plexi glass) on Cabin roof  
 2 deck Ventilators placed on Saloon top  
 Stainless steel Stanchions & Lifelines  
 Stainless steel Handrails on the Cabin roof  
 Removable stainless steel Bathing Ladder  
 2 fire Extinguishers

**INTERIOR: Furniture, Inventory**

Standard interior layout (A): 3 cabins and 2 Head units  
 Interior Joinery: marine grade water proof core, faced with selected furniture  
 All main Bulkheads are bonded to Hull (Sides) and Deck  
 Invisible Hull sides, Bottom, Bilge etc. are topcoated  
 All windows are equipped with curtains except aft cabins Portlights which are supplied with push button blinds

**Cushions**

Cushions are made in high quality foam with beige upholstery

**OWNER'S (FORWARD) CABIN**

Large double Berth towards fwd  
 Mattress in 2 parts  
 Access to stowage Lockers under Berth  
 Double Wardrobes (port & stbd side) with Shelves and Hangers  
 Fresh Water tank under Berth

**FORWARD HEAD UNIT**

GRP Wash Basin  
 Kerrock wash basin Boards  
 Separate shower area with plexi  
 Hot&cold fresh water mixing taps - mixing tap on port side also with shower unit  
 Shower directly drained by electric pump  
 Water-flushed manual pump marine Toilet  
 Front opening double Locker - placed above wash basin - with Mirrors mounted on fronts  
 Wet Locker for drying of wet sailing cloth  
 Teak shower Grating optional

**AFT CABIN ((STBD & PORT)**

Double Berth with Shelve above bed along Hull side  
 Mattress in 2 parts  
 Large hanging Locker with double door and Shelve above  
 Seat forming shoe Locker  
 Fuel tank under Berth - aft Cabin stbd  
 Fresh Water tank under Berth - aft Cabin port

**AFT HEAD UNIT**

GRP Wash Basin  
 Kerrock wash basin Board  
 Separate shower area with Curtain  
 Hot&cold fresh water mixing taps  
 Shower directly drained by electric pump  
 Water-flushed manual pump marine Toilet  
 Front opening double Locker (with Mirrored doors) placed above toilet/shower seat  
 Locker above wash basin closing the space for Waste holding tank  
 Waste holding tank (app. 40 l) fitted with tank level Watch, deck Outlet  
 Teak shower Grating optional

**SALOON**

Large U-shaped settee to Hull stbd side  
 Upper Cabinet sections with doors along Hull side  
 Handrails mounted on top-sides and ceiling  
 Bookshelve ("Library") above settee  
 Stowage Lockers under seats and behind backrests

**GALLEY**

L- shaped Galley with compact work top  
 Twin stainless steel rectangular sinks  
 Mixing tap for pressurized hot&cold fresh water  
 Gas stove (on gimbals) with an oven and three burners  
 70 L GRP refrigerator & WAECO C50 refrigerator  
 Storage Lockers - with shelves and doors - above work top along Hull side  
 Storage - with shelve and door - below sinks; Waste Basket mounted on Storage door  
 Handrail mounted on bulkhead between Galley and aft Head

**COMPANIONWAY**

Gas springed openable stairs as Engine Compartment cover

**ENGINE COMPARTMENT**

Sound insulated with high density foam material  
 Easy accessible through opening the Companionway stairs and/or removing the side (provided in both aft cabins)  
 Provided with Automatic Fire Extinguisher

**SANITARY SYSTEMS; DISCHARGE SYSTEMS**

Hot&cold pressurized fresh water system  
 1 ventilated Fresh water tanks for a total capacity of app. 200 l with inspection holes/covers  
 Tank level gauge(s) (placed on electric switchboard)  
 Mixing fresh water taps are fitted in both Head units and in the Galley  
 Shower with hot&cold fresh water can be fitted in Cockpit (stern) - see additions  
 Hot water tank heated by integrated heater run with 220V shore power or by engine cooling (fresh) water  
 Shower basins are drained direct into the sea by electric shower pumps  
 Electric shower pumps are operated by manual switch positioned in Shower Compartments

**MACHINERY MAIN COMPONENTS**

Yanmar 4JH4CE/SD50 55hp (sail drive)  
 Two blade folding propeller  
 Alternator 60A/12V  
 Engine control panel incorporates an rpm meter, acoustic alarms and an hour counter as a standard  
 Engine control panel is placed in a recess and protected with a plexi glass cover  
 Gear/gas lever control is placed in Cockpit nearby helmsman

**SYSTEMS FOR MACHINERY MAIN COMPONENTS**

1 Fuel oil tank for a total capacity of app. 210 l  
 Tank inspection hole/cover with incorporated fuel float  
 Tank level gauge (placed on electric switchboard)  
 Fuel oil Filter with water Separator  
 Automatic Fire Extinguisher in Engine compartment

**SHIP SYSTEMS****Bilge systems**

Electric membrane bilge pump , operated by automatic and/or manual switch  
 Electric bilge pump for aft bilge operated by automatic and/or manual switch  
 Hand operated bilge pump is positioned in the Cockpit

**Electrical systems****12 V DC SYSTEM**

Main Switchboard includes LED indicators and termomagnetic switches  
 12 V sockets  
 Battery Charger Quick 12V 40A  
 1 x 12V 100 Ah engine start Battery  
 2 x 12V 100 Ah service Batteries  
 Battery Switch for each battery  
 Safety battery protector Anode  
 Emergency start crossover system

**230 V AC POWER SUPPLY**

230 V AC Distribution board  
 Main Circuit Breaker  
 230 V AC sockets  
 Shore Power dock side Cable